



DEPOSITA
A G4S COMPANY

EXCHANGOR
TELLER



TRANSFORM YOUR BUSINESS WITH A TRULY CLOSED CASH-HANDLING SYSTEM

We worked with all kinds of retailers to develop a revolutionary secure cash processing system that integrates with your current point-of-sale system. Exchangor Teller replaces manual cash drawers and secures notes and coins when they leave your customer's hand until it reflects in your bank account. It automatically counts and dispenses change, improving accountability, efficiency and speeds up customer checkout.

Notes and coins are kept safe and out of reach in the recycler. Excess notes are deposited in the secure cassette until transferred to the back office. Then it is deposited into the cassette docking station (CDS) until cash-in-transit collection. It is an entirely closed, end-to-end cash flow system.

Exchangor Teller is ergonomically designed and easy to learn, so staff are more comfortable and efficient.

SAFEGUARD YOUR FUTURE WITH
INDUSTRY-LEADING CASH-HANDLING INNOVATION.

EXCHANGOR TELLER

- Ergonomic and space-efficient
- Secure authenticity check on notes and coins at the point of receipt
- Fast, efficient change delivery between 4 and 9 seconds regardless of number of notes or coins
- Smooth integration with existing point-of-sale systems
- The cash recycling algorithms reduce the need for daily float adjustments and cash-ups
- Real-time cash inventory and status available online at all times
- Insurance cover from point-of-sale until funds reflect in your bank account
- Optimisation of business systems and routines
- 24-hour online access to remote upgrades and customer support





BETTER CASH HANDLING IN 4 SIMPLE STEPS:

- STEP 1** When your business opens for trading, Teller is immediately available for customer cash payments, eliminating the need for manual float management and cash-ups. During trading hours, Teller keeps cash securely in a note and coin recycler device per checkout point.
- STEP 2** At the end of trading, your daily banked takings from the Teller are transferred from the till to the back office in a secure transfer cassette. It is then slotted into the back-office Cassette Docking Station (CDS) and emptied automatically.
- STEP 3** Cash-in-transit company collects the sealed bag from the Teller Back-Office CDS, as per the cash-in-transit agreement.
- STEP 4** All cash removed by your cash-in-transit service provider from the Cassette Docking Station is reflected in your bank account.



ADDITIONAL TELLER BENEFITS:

- Various versatile checkout configuration options
- Increased customer satisfaction through a faster checkout process
- Improved client queue management and teller efficiencies
- Increased control and reduction of teller errors or shortages
- Simplified staff training and recruitment
- Faster store opening and closing processes
- End-of-day reporting to transactional level at the push of a button
- Simple and secure maintenance
- Real-time access to a 24-hour web portal reflecting all Teller contents and transactional information

Contact us: deposita.salesadmin@za.g4s.com or +27 (0)11 729 3300





GERENS
Sallford
Otrivin
Panodil Zapp 500 mg
Panodil Zapp 500 mg



EXCHANGOR TELLER NOTE

DIMENSIONS AND WEIGHT

| | |
|--------|-------|
| HEIGHT | 738mm |
| WIDTH | 479mm |
| DEPTH | 210mm |
| WEIGHT | 65kg |

CAPACITY

1 x Recycling Drum – 90 notes
1 x Deposit Cassette – 300 notes
Total Capacity – 390 notes

DEPOSIT ACCEPTANCE

Input hopper – single-note feed
Dispenser – single-note dispensed (change from sale)
45/60 notes per minute
Escrow – none (allows for note return should point-of-sale decline transaction)
Point-of-sale integration
Infrared and UV validation
Fraud and dye-stain detection and rejection

SECURITY

Top cover open sensor

USER INTERFACE

POS system access



CIT ACCESS

CDS keyless controlled cash-in-transit entry via device-specific issued and controlled access card

WEB INTERFACE

CONNECTOR REPORT – Comprehensive real-time device information, transaction tracking, custom reports and remote monitoring

COMMUNICATION

Mobile (GSM) CDS only / Local area network (LAN) / Serial Communication to POS

PRINTER

POS printer

POWER CONSUMPTION

AC 110-120V ~ /220-240V ~ 50-60HZ
Idle: 85W
Maximum working: 180W
Battery back-up for transaction completion

WORKING ENVIRONMENT

Operating temperature 32°F (0°C) to 104°F (40°C)
Relative humidity: 20% to 95% non-condensing

WARRANTY

Full maintenance plan over the contract period



EXCHANGOR TELLER COIN

DIMENSIONS AND WEIGHT

| | |
|--------|---------|
| HEIGHT | 1 317mm |
| WIDTH | 130mm |
| DEPTH | 451mm |
| WEIGHT | 43kg |

CAPACITY

8 x Coin Hoppers (8 denominations)
Total Capacity: 120 - 350 coins per denomination (capacity pending coins' size)

DEPOSIT ACCEPTANCE

Input hopper – bulk coin feed
80/100 coins per minute
Dispenser – bulk coin dispenser (change from sale)
Point-of-sale integration required
Coin size, thickness and material verification
Fraud and counterfeit rejection

SECURITY

Door and access panel tamper detection



USER INTERFACE

150mm LED "Pole display"

WEB INTERFACE

CONNECTOR REPORT – real-time device information, transaction tracking, custom reports and remote monitoring

COMMUNICATION

Serial Comms to POS / Local area network (LAN) to CONNECTOR

POWER CONSUMPTION

AC 110-120V ~ /220-240V ~ 50-60HZ

Idle: 85W

Maximum working: 180W

Battery back-up for transaction completion on CDS

Uninterruptible power supply

WORKING ENVIRONMENT

Operating temperature 32°F (0°C) to 104°F (40°C)

Relative humidity: 20% to 95% non-condensing

WARRANTY

Full maintenance plan over the contract period

DO MORE WITH WHAT'S YOURS

ISO 27001 & ISO 9001 Accreditation



Customer Service Centre: 0861 000 965 Tel: +27 (0)11 729 3300 deposita.salesadmin@za.g4s.com
1 Slate Avenue. N1 Business Park. Old Pretoria Road. Midrand. Johannesburg. South Africa.

www.deposita.co.za