

DEPOSITA®
An Allied Universal® Company

PROTECTOR 1 200 sp

DEPOSITA® An ALLIED UNIVERSAL Company



GROW FROM STRENGTH TO STRENGTH

Secure and start growing your business with the **Protector 1 200 sp**. A compact, undercounter, single note-feed cash deposit smart-safe any growing business can't afford to be without. Designed for the small retail environment using industry-leading technology to prioritise space and security. The **Protector 1 200 sp** will automate your cash flow, with accurate custom financial reports. Plus, reduce insurance, security, cash-in-transit costs and more. That's time and money you can devote to your customers and your business.

MAKE MONEY WORK FOR YOU, SO YOU CAN WORK ON GROWING YOUR BUSINESS.

PROTECTOR 1 200 sp

- Touch screen for password controlled access and information capture
- · Traceable cash container
- · 24-hour on-site visibility
- · Improve cash-in-transit efficiency
- Paperless mailing of transactions and cash-in-transit receipts
- CONNECTOR REPORT: Track and view transactions and create custom reports via the web
- · International standard of quality and performance

PROTECT YOUR ASSETS, INCREASE YOUR PEACE-OF-MIND AND GROW YOUR BUSINESS.







PROTECTOR 1200 sp

DIMENSIONS AND WEIGHT	
HEIGHT	436mm
WIDTH	235mm
DEPTH	470mm
WEIGHT	26kg
CAPACITY	1 x 1 200 note stacking canister
	1 200 ATM note quality smart-safe capacity
DEPOSIT ACCEPTANCE	1 x note validator that validates notes irrespective of their orientation
	25 notes per minute
	Infrared note validation
	Fraud and dye-stain detection and rejection
	Single note feed
	Remote currency updates
SECURITY	Unauthorised door opening notification
USER INTERFACE	7" Touch screen
ACCESSIBILITY	Mifare card
	Touch screen on-device user management







CIT ACCESS	Keyless controlled cash-in-transit entry via device specific issued and controlled access cards Front clearance for your cash-in-transit service provider
WEB INTERFACE	CONNECTOR REPORT – real-time device information, transaction tracking, custom reports and remote monitoring
COMMUNICATION	Mobile (GSM) / Local area network (LAN)
ADDITIONAL OPTIONS	Multi-account banking Customer point-of-sale integration Biometric fingerprint verification Plinth (height and storage) Uninterruptible power supply Unique, on-device reference capture
POWER CONSUMPTION	AC 110-120V ~ /220-240V ~ 50-60HZ Idle: 50W Maximum working: 130W Graceful shutdown during power interruption
WORKING ENVIRONMENT	Operating temperature 32°F (0°C) to 104°F (40°C) Relative humidity: 20% to 95% non-condensing
CERTIFICATION	ISO 9001 ISO 27001 International Electrotechnical Commission (IEC) 60950-1
WARRANTY	Full maintenance plan over the contract period

DO MORE WITH WHAT'S YOURS™

ISO 27001 & ISO 9001 Accreditation



Customer Service Centre: 0861 000 965 Tel: +27 (0)11 729 3300 deposita.salesadmin@za.g4s.com 1 Slate Avenue. N1 Business Park. Old Pretoria Road. Midrand. Johannesburg. South Africa.

www.deposita.co.za